

FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5




FIG. 6

dn: cn=managerrole, dc=dom, dc=ain  
objectclass: top  
objectclass: LDAPsubentry  
objectclass: nsRole  
objectclass: nsSimpleRole  
objectclass: nsManagedRole  
cn: managgerrole  
description: Manager Role within the Company

FIG. 7

dn: uid=pointyhair, ou=people, dc=dom, dc=ain

objectclass: top

objectclass: person

objectclass: inetorgperson

uid: pointyhair

gn: pointy

sn: hair

nsRoleDN: cn=managerrole, dc=dom, dc=ain

description: Pointy Haired Manager

FIG- 8



dn: cn= building12people, dc=dom, dc=ain  
objectclass: top  
objectclass: LDAPsubentry  
objectclass: nsRole  
objectclass: nsComplexRole  
objectclass: nsFilteredRole  
cn: building12people  
nsRoleFilter: building=12  
description: People who work in building 12

FIG-9

0986791.052504

dn: cn=megamanaggerrole, dc=dom, dc=ain

objectclass: top

objectclass: LDAPsubentry

objectclass: nsRole

objectclass: nsComplexRole

objectclass: nsNestedRole

cn: megamanaggerrole

nsRoleDN: cn=managerrole, dc=dom, dc=ain

nsRoleDN: cn=networkmanager, dc=dom, dc=ain

description: Super Manager Role within the  
Company

FIG-10

dn: cn=peonrole, dc=dom, dc=ain  
objectclass: top  
objectclass: LDAPsubentry  
objectclass: nsRole  
objectclass: nsComplexRole  
objectclass: nsEnumeratedRole  
objectclass: groupofuniquenames  
cn: peonrole  
groupmember: uid=dboreham, ou=people, dc=dom, dc=ain  
groupmember: uid=merrells, ou=people, dc=dom, dc=ain  
groupmember: uid=claire, ou=people, dc=dom, dc=ain  
description: Lowest of the Low Roles within the Company

FIG-11





FIG-12



**FIG. 13**




FIG. 14




FIG. 15




FIG-16






FIG 17

Dn:cn=messaging\_server\_cos, ou=people, o=acme

objectclass: top

objectclass: LDAPSubentry

objectclass: cosSuperDefinition

objectclass: cosClassicDefinition

cosTemplate

Dn: cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot

cosSpecifier: mailServiceClass

cosAttribute: mailboxquota

cosAttribute: maysendexternalmail

FIG-18

dn: cn=user, cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot

objectclass: top

objectclass: mailserveruser

objectclass: cosTemplate

mailboxquota: 10000000

maysendexternalmail: TRUE

dn: cn=guest, cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot

objectclass: top

objectclass: mailserveruser

objectclass: cosTemplate

mailboxquota: 1000000

maysendexternalmail: FALSE

FIG-19




FIG. 20




FIG. 21

dn: cn=messaging\_server\_cos, ou=people, o=acme  
objectclass: top  
objectclass: LDAPSubentry  
objectclass: cosSuperDefinition  
objectclass: cosPointerDefinition  
cosTemplateDn: ou=people, o=acme  
cosAttribute: facsimilieTelephoneNumber default

FIG. 22




FIG-23

dn: cn=messaging\_server\_cos, ou=people, o=acme  
objectclass: top  
objectclass: LDAPSubentry  
objectclass: cosSuperDefinition  
objectclass: cosIndirectDefinition  
cosIndirectSpecifier: manager  
cosAttribute: accountingCode

FIG-24